



# PacRite® Chlor Out

P O S T H A R V E S T

## Neutralizes Water Treated with Sodium Hypochlorite

### For Agricultural Use Only

**INGREDIENTS:** Sodium bisulfate, sodium sulfite and proprietary food grade ingredients.

**NOTE:** This will lower the pH of the water. If your wastewater requires a neutral pH for disposal, add 2 ounces of PacRite pH Increaser to every 100 gallons of treated water to return the water to a neutral pH level. All dosage rates on this label should be considered approximate, as they can vary slightly according to local characteristics of water. Consult your PACE Technical Representative for specific rates and recommendations based on your water quality.

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**



### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry, well-ventilated area away from direct sunlight. Avoid storing at temperatures below 40°F to keep product from freezing. May be corrosive to metals: Keep in original container. Store in corrosive resistant container with a resistant inner lining. Keep container upright to prevent leakage. Do not contaminate water, food or feed by storage or disposal. Absorb spillage to prevent material damage and store in a locked location.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product must be disposed on site or in accordance with local/regional/national/ or international regulations.

### HAZARD STATEMENTS

**CORROSIVE TO METALS.** May be corrosive to metals. Causes serious eye damage.

### PRECAUTIONARY STATEMENTS

Keep only in original container. Wash thoroughly after handling. Wear protective gloves, protective clothing and eye/face protection. Absorb spillage to prevent material damage.

### FIRST AID STATEMENTS

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor for medical advice/attention.  
**IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse with soap and water, shower. Wash contaminated clothing before reuse.  
**IF SWALLOWED:** Rinse mouth. Do not induce vomiting. Call a Poison Control Center or doctor if you feel unwell.  
**IF INHALED:** Remove person to fresh air and keep comfortable for breathing.

08042020US

Product of USA

### DIRECTIONS FOR USE

For reduction of chlorine levels in fruit packing line water systems. For every 100 gallons of water containing 100 ppm sodium hypochlorite, add 8 ounces of PacRite Chlor Out to neutralize. Drain equipment and rinse with water after treatment.

Manufactured by:

 **Pace International LLC**

5661 Branch Road, Wapato, WA 98951 800.936.6750